

HASIL UJI VALIDITAS X1

Correlations

| | | X1.1 | X1.2 | X1.3 | X1.4 | X1.5 | X1.6 | X1 |
|------|---------------------|--------|--------|--------|--------|--------|--------|--------|
| X1.1 | Pearson Correlation | 1 | .231** | .259** | .341** | .307** | .355** | .610** |
| | Sig. (2-tailed) | | .008 | .003 | .000 | .000 | .000 | .000 |
| | N | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| X1.2 | Pearson Correlation | .231** | 1 | .424** | .339** | .346** | .300** | .626** |
| | Sig. (2-tailed) | .008 | | .000 | .000 | .000 | .001 | .000 |
| | N | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| X1.3 | Pearson Correlation | .259** | .424** | 1 | .435** | .347** | .466** | .704** |
| | Sig. (2-tailed) | .003 | .000 | | .000 | .000 | .000 | .000 |
| | N | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| X1.4 | Pearson Correlation | .341** | .339** | .435** | 1 | .341** | .573** | .743** |
| | Sig. (2-tailed) | .000 | .000 | .000 | | .000 | .000 | .000 |
| | N | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| X1.5 | Pearson Correlation | .307** | .346** | .347** | .341** | 1 | .373** | .670** |
| | Sig. (2-tailed) | .000 | .000 | .000 | .000 | | .000 | .000 |
| | N | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| X1.6 | Pearson Correlation | .355** | .300** | .466** | .573** | .373** | 1 | .754** |
| | Sig. (2-tailed) | .000 | .001 | .000 | .000 | .000 | | .000 |
| | N | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| X1 | Pearson Correlation | .610** | .626** | .704** | .743** | .670** | .754** | 1 |
| | Sig. (2-tailed) | .000 | .000 | .000 | .000 | .000 | .000 | |
| | N | 129 | 129 | 129 | 129 | 129 | 129 | 129 |

** . Correlation is significant at the 0.01 level (2-tailed).

HASIL UJI VALIDITAS X2

Correlations

| | | X2.1 | X2.2 | X2.3 | X2.4 | X2.5 | X2.6 | X2 |
|------|---------------------|--------|--------|--------|--------|--------|--------|--------|
| X2.1 | Pearson Correlation | 1 | .196* | .173* | .315** | .352** | .282** | .629** |
| | Sig. (2-tailed) | | .026 | .050 | .000 | .000 | .001 | .000 |
| | N | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| X2.2 | Pearson Correlation | .196* | 1 | .296** | .134 | .315** | .276** | .567** |
| | Sig. (2-tailed) | .026 | | .001 | .129 | .000 | .002 | .000 |
| | N | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| X2.3 | Pearson Correlation | .173* | .296** | 1 | .209* | .234** | .334** | .573** |
| | Sig. (2-tailed) | .050 | .001 | | .017 | .008 | .000 | .000 |
| | N | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| X2.4 | Pearson Correlation | .315** | .134 | .209* | 1 | .252** | .402** | .618** |
| | Sig. (2-tailed) | .000 | .129 | .017 | | .004 | .000 | .000 |
| | N | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| X2.5 | Pearson Correlation | .352** | .315** | .234** | .252** | 1 | .397** | .691** |
| | Sig. (2-tailed) | .000 | .000 | .008 | .004 | | .000 | .000 |
| | N | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| X2.6 | Pearson Correlation | .282** | .276** | .334** | .402** | .397** | 1 | .706** |
| | Sig. (2-tailed) | .001 | .002 | .000 | .000 | .000 | | .000 |
| | N | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| X2 | Pearson Correlation | .629** | .567** | .573** | .618** | .691** | .706** | 1 |
| | Sig. (2-tailed) | .000 | .000 | .000 | .000 | .000 | .000 | |
| | N | 129 | 129 | 129 | 129 | 129 | 129 | 129 |

*. Correlation is significant at the 0.05 level (2-tailed).

**. Correlation is significant at the 0.01 level (2-tailed).

HASIL UJI VALIDITAS X3

Correlations

| | | X3.1 | X3.2 | X3.3 | X3.4 | X3.5 | X3.6 | X3 |
|------|---------------------|--------|--------|--------|--------|--------|--------|--------|
| X3.1 | Pearson Correlation | 1 | .195* | .275** | .288** | .308** | .401** | .607** |
| | Sig. (2-tailed) | | .026 | .002 | .001 | .000 | .000 | .000 |
| | N | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| X3.2 | Pearson Correlation | .195* | 1 | .295** | .286** | .336** | .346** | .605** |
| | Sig. (2-tailed) | .026 | | .001 | .001 | .000 | .000 | .000 |
| | N | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| X3.3 | Pearson Correlation | .275** | .295** | 1 | .283** | .213* | .428** | .604** |
| | Sig. (2-tailed) | .002 | .001 | | .001 | .016 | .000 | .000 |
| | N | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| X3.4 | Pearson Correlation | .288** | .286** | .283** | 1 | .373** | .591** | .711** |
| | Sig. (2-tailed) | .001 | .001 | .001 | | .000 | .000 | .000 |
| | N | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| X3.5 | Pearson Correlation | .308** | .336** | .213* | .373** | 1 | .415** | .677** |
| | Sig. (2-tailed) | .000 | .000 | .016 | .000 | | .000 | .000 |
| | N | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| X3.6 | Pearson Correlation | .401** | .346** | .428** | .591** | .415** | 1 | .801** |
| | Sig. (2-tailed) | .000 | .000 | .000 | .000 | .000 | | .000 |
| | N | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| X3 | Pearson Correlation | .607** | .605** | .604** | .711** | .677** | .801** | 1 |
| | Sig. (2-tailed) | .000 | .000 | .000 | .000 | .000 | .000 | |
| | N | 129 | 129 | 129 | 129 | 129 | 129 | 129 |

*. Correlation is significant at the 0.05 level (2-tailed).

**. Correlation is significant at the 0.01 level (2-tailed).

HASIL UJI VALIDITAS Y

Correlations

| | Y1 | Y2 | Y3 | Y4 | Y5 | Y6 | Y7 | Y8 | Y |
|------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Y1 Pearson Correlation | 1 | .336** | .024 | .200* | .177* | .205* | -.009 | .042 | .451** |
| Sig. (2-tailed) | | .000 | .789 | .023 | .045 | .020 | .916 | .637 | .000 |
| N | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| Y2 Pearson Correlation | .336** | 1 | .195* | .190* | .232** | .152 | .097 | .025 | .514** |
| Sig. (2-tailed) | .000 | | .026 | .031 | .008 | .086 | .272 | .778 | .000 |
| N | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| Y3 Pearson Correlation | .024 | .195* | 1 | .413** | .348** | .117 | .090 | -.062 | .506** |
| Sig. (2-tailed) | .789 | .026 | | .000 | .000 | .185 | .308 | .484 | .000 |
| N | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| Y4 Pearson Correlation | .200* | .190* | .413** | 1 | .233** | .217* | -.032 | -.053 | .512** |
| Sig. (2-tailed) | .023 | .031 | .000 | | .008 | .014 | .715 | .553 | .000 |
| N | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| Y5 Pearson Correlation | .177* | .232** | .348** | .233** | 1 | .052 | .163 | -.090 | .526** |
| Sig. (2-tailed) | .045 | .008 | .000 | .008 | | .558 | .065 | .309 | .000 |
| N | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| Y6 Pearson Correlation | .205* | .152 | .117 | .217* | .052 | 1 | .194* | .448** | .582** |
| Sig. (2-tailed) | .020 | .086 | .185 | .014 | .558 | | .028 | .000 | .000 |
| N | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| Y7 Pearson Correlation | -.009 | .097 | .090 | -.032 | .163 | .194* | 1 | .484** | .531** |
| Sig. (2-tailed) | .916 | .272 | .308 | .715 | .065 | .028 | | .000 | .000 |
| N | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| Y8 Pearson Correlation | .042 | .025 | -.062 | -.053 | -.090 | .448** | .484** | 1 | .467** |
| Sig. (2-tailed) | .637 | .778 | .484 | .553 | .309 | .000 | .000 | | .000 |
| N | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| Y Pearson Correlation | .451** | .514** | .506** | .512** | .526** | .582** | .531** | .467** | 1 |
| Sig. (2-tailed) | .000 | .000 | .000 | .000 | .000 | .000 | .000 | .000 | |
| N | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 |

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

HASIL UJI RELIABILITAS X1

Reliability Statistics

| Cronbach's Alpha | N of Items |
|---------------------|------------|
| .771 | 7 |

HASIL UJI RELIABILITAS X2

Reliability Statistics

| Cronbach's Alpha | N of Items |
|---------------------|------------|
| .753 | 7 |

HASIL UJI RELIABILITAS X3

Reliability Statistics

| Cronbach's Alpha | N of Items |
|---------------------|------------|
| .767 | 7 |

HASIL UJI RELIABILITAS Y

Reliability Statistics

| Cronbach's Alpha | N of Items |
|---------------------|------------|
| .708 | 9 |

HASIL REGRESI LINIER BERGANDA

Descriptive Statistics

| | Mean | Std. Deviation | N |
|----|---------|----------------|-----|
| Y | 30.1240 | 2.57089 | 129 |
| X1 | 23.0775 | 2.52677 | 129 |
| X2 | 22.7674 | 2.43834 | 129 |
| X3 | 23.1628 | 2.48681 | 129 |

Correlations

| | | Y | X1 | X2 | X3 |
|---------------------|----|-------|-------|-------|-------|
| Pearson Correlation | Y | 1.000 | .142 | .347 | .319 |
| | X1 | .142 | 1.000 | .305 | .065 |
| | X2 | .347 | .305 | 1.000 | .041 |
| | X3 | .319 | .065 | .041 | 1.000 |
| Sig. (1-tailed) | Y | . | .055 | .000 | .000 |
| | X1 | .055 | . | .000 | .232 |
| | X2 | .000 | .000 | . | .322 |
| | X3 | .000 | .232 | .322 | . |
| N | Y | 129 | 129 | 129 | 129 |
| | X1 | 129 | 129 | 129 | 129 |
| | X2 | 129 | 129 | 129 | 129 |
| | X3 | 129 | 129 | 129 | 129 |

Variables Entered/Removed^b

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------------|-------------------|---------|
| 1 | X3, X2, X1 ^a | | . Enter |

a. All requested variables entered.

b. Dependent Variable: Y

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Durbin-Watson |
|-------|-------------------|----------|-------------------|----------------------------|---------------|
| 1 | .463 ^a | .214 | .196 | 2.30593 | 1.734 |

a. Predictors: (Constant), X3, X2, X1

b. Dependent Variable: Y

ANOVA^b

| Model | | Sum of Squares | Df | Mean Square | F | Sig. |
|-------|------------|----------------|-----|-------------|--------|-------------------|
| 1 | Regression | 181.354 | 3 | 60.451 | 11.369 | .000 ^a |
| | Residual | 664.662 | 125 | 5.317 | | |
| | Total | 846.016 | 128 | | | |

a. Predictors: (Constant), X3, X2, X1

b. Dependent Variable: Y

| Model | | Collinearity Statistics | |
|-------|------------|-------------------------|-------|
| | | Tolerance | VIF |
| 1 | (Constant) | | |
| | X1 | .904 | 1.106 |
| | X2 | .907 | 1.103 |
| | X3 | .995 | 1.005 |

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|-------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 14.442 | 2.922 | | 4.943 | .000 |
| | X1 | .022 | .085 | .022 | 4.261 | .004 |
| | X2 | .346 | .088 | .328 | 3.942 | .000 |
| | X3 | .315 | .082 | .305 | 3.832 | .000 |

a. Dependent Variable: Y

Coefficient Correlations^a

| Model | | X3 | X2 | X1 | |
|-------|--------------|----|-------|-------|-------|
| 1 | Correlations | X3 | 1.000 | -.022 | -.055 |
| | | X2 | -.022 | 1.000 | -.303 |
| | | X1 | -.055 | -.303 | 1.000 |
| | Covariances | X3 | .007 | .000 | .000 |
| | | X2 | .000 | .008 | -.002 |
| | | X1 | .000 | -.002 | .007 |

a. Dependent Variable: Y

Collinearity Diagnostics^a

| Model | Dimension | Eigenvalue | Condition Index | Variance Proportions | | | |
|-------|-----------|------------|-----------------|----------------------|-----|-----|-----|
| | | | | (Constant) | X1 | X2 | X3 |
| 1 | 1 | 3.977 | 1.000 | .00 | .00 | .00 | .00 |
| | 2 | .012 | 18.359 | .00 | .17 | .16 | .59 |
| | 3 | .008 | 22.288 | .00 | .68 | .62 | .00 |
| | 4 | .004 | 33.254 | 1.00 | .15 | .22 | .41 |

a. Dependent Variable: Y


Residuals Statistics^a

| | Minimum | Maximum | Mean | Std. Deviation | N |
|-----------------------------------|----------|---------|---------|----------------|-----|
| Predicted Value | 27.4103 | 34.9106 | 30.1240 | 1.19031 | 129 |
| Std. Predicted Value | -2.280 | 4.021 | .000 | 1.000 | 129 |
| Standard Error of Predicted Value | .214 | .879 | .384 | .131 | 129 |
| Adjusted Predicted Value | 27.2699 | 34.5558 | 30.1187 | 1.18256 | 129 |
| Residual | -4.51282 | 7.50024 | .00000 | 2.27874 | 129 |
| Std. Residual | -1.957 | 3.253 | .000 | .988 | 129 |
| Stud. Residual | -1.969 | 3.278 | .001 | 1.005 | 129 |
| Deleted Residual | -4.56845 | 7.61635 | .00530 | 2.35779 | 129 |
| Stud. Deleted Residual | -1.992 | 3.415 | .003 | 1.014 | 129 |
| Mahal. Distance | .107 | 17.587 | 2.977 | 2.985 | 129 |
| Cook's Distance | .000 | .194 | .009 | .020 | 129 |
| Centered Leverage Value | .001 | .137 | .023 | .023 | 129 |

a. Dependent Variable: Y

Histogram


Dependent Variable: Y



Mean = -1.02E-15
Std. Dev. = 0.988
N = 129


Normal P-P Plot of Regression Standardized Residual

Dependent Variable: Y



Scatterplot

Dependent Variable: Y



Scatterplot

Dependent Variable: Y

